



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 47/46, 31/20, 31/07, 7/48	A1	(11) International Publication Number: WO 99/16472 (43) International Publication Date: 8 April 1999 (08.04.99)
(21) International Application Number: PCT/US98/19543 (22) International Filing Date: 22 September 1998 (22.09.98) (30) Priority Data: 08/941,182 30 September 1997 (30.09.97) US (71) Applicant: E-L MANAGEMENT CORP. [US/US]; 767 Fifth Avenue, New York, NY 10153 (US). (72) Inventors: KNIGHT, E., Althea; 308 Herrick Avenue, Teaneck, NJ 07666 (US). TALATI, Akshay; 2608 Kensington Road, East Meadow, NY 11554 (US). ZECCHINO, Jules; 30 Auryansen Court, Closter, NJ 07624 (US). (74) Agent: TSEVDOS, Estelle, J.; Kenyon & Kenyon, One Broadway, New York, NY 10004 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: STABLE COMPOSITIONS CONTAINING BIOLOGICALLY ACTIVE COMPONENTS (57) Abstract <p>The present invention relates to stable water-containing cosmetic or pharmaceutical compositions which comprise a biologically active agent and an enzyme-based oxygen-scavenging antioxidant system. The composition preferably comprises an antioxidant system comprising effective amounts of an oxidase, a substrate for the oxidase, and a peroxidase, and at least one species oxidizable by hydrogen peroxide, such as iodide and/or thiocyanate anions.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

STABLE COMPOSITIONS CONTAINING BIOLOGICALLY ACTIVE
COMPONENTSField of the Invention

5 The invention relates to cosmetic and pharmaceutical compositions containing biological actives. More specifically, the invention relates to water-containing compositions which are stabilized so as to prevent degradation of the biological actives.

Background of the Invention

10 In recent times, cosmetics have become developed beyond the concept of mere ornamentation for the face. Consumers now demand more from their makeup than simple color, coverage or moisturizing: it is now preferred that
15 cosmetics provide some benefit to the skin, rather than just decorating it or making it feel softer. This consumer preference has resulted in the frequent use of biologically active ingredients in many cosmetic
20 products. In view of the now well-recognized damaging effects of sun exposure on the skin, particularly favored active components are those which can counteract or prevent those effects. These components include, for example, sunscreens, antioxidants, and anti-wrinkle
25 agents.

 One of the primary difficulties in employing actives in a formulation is the potential instability of the active once incorporated. The very reason for their use in the formulation, i.e., their biological activity,
30 means that they are not inert, and are therefore potentially subject to reduction or complete loss of potency if not combined with the proper vehicle. A number of routinely encountered factors can readily inactivate a biologically active compound in a
35 formulation before it even reaches the consumer. Such

factors include, for example, oxygen, extreme temperatures, UV light, water, and lipid peroxidases. It is particularly difficult to avoid the effects of oxygen and UV light, which are of course virtually ubiquitous in nature. Although degradation due to water can technically be avoided by anhydrous formulation, a water-containing formula is generally a preferred delivery system, as it provides hydration to the skin. Thus, there continues to be a need for development of a cosmetically acceptable vehicle which can deliver the hydrating benefits of water, yet will protect the actives contained in the vehicle from the degrading effects of environmental factors, including water, which rob them of their biological activity. The present invention provides a solution to this continuing problem.

Summary of the Invention

The present invention relates to a water-containing cosmetic or pharmaceutical composition for topical application to the skin comprising a biologically active agent and an antioxidant system which actively scavenges oxygen. Preferably this antioxidant system comprises an oxidase, a peroxidase, and a substrate for the oxidase. A particularly useful antioxidant system comprises iodide anions and thiocyanate anions in a weight:weight ratio of 0.1:1 to 50:1 and having a combined anion weight concentration of at least 5 mg/kg, D-glucose in a weight concentration of at least 0.2 g/kg, and an effective amount of glucose oxidase and a lactoperoxidase. In a particularly preferred embodiment, the biologically active agent is a retinoid.

Detailed Description of the Invention

Antioxidants are frequently used in formulations for a number of reasons. Of course, a primary function of any antioxidant is to prevent oxidative degradation of the formulation containing it, by scavenging oxygen radicals in the environment. An effective antioxidant may also act to prevent or reduce microbial growth, and therefore prevent spoilage of the vehicle. Both these activities can contribute to the overall stability of the formulation. The task is greater, however, when water is present in the formulation, and further, when there is a biologically active material in the formulation. The combination of the hydrolytic activity of water with the presence of a biologically reactive molecule, without some protective measures, inevitably leads to degradation and loss of activity of the biological active. In such a case, an antioxidant alone, while potentially capable of protecting the vehicle as a whole from degradation, is rarely capable of providing adequate preservation of biological activity. The problem is particularly exacerbated in an oil-in-water vehicle, the most commonly used in skin-care compositions. There is apparently significant diffusion of oxygen at the water-oil interface in such a system, potentially resulting in a serious degradation problem even for sensitive actives encapsulated in the oil phase.

It has now been surprisingly discovered that a specific type of antioxidant system, which actively scavenge oxygen molecules in the medium, can be highly effective in preventing loss of activity of biological materials even in the difficult environment of an oil-in-water emulsion. This type of antioxidant differs from more standard antioxidants, for example, BHT, BHA, propyl gallate, tocopherol, ascorbic acid, and the like, which cannot actively eliminate the damaging oxygen radicals

from the medium in which they are contained. To achieve the oxygen-scavenging activity, the antioxidant system is enzyme-based. A preferred system is one which comprises as its basic elements an oxidase, a peroxidase, and a substrate for the oxidase. These components are elements of naturally-occurring physiological pathways in the body, and therefore, the antioxidant system provides the added advantage of being a truly natural preservative.

The oxidase in the system is one which catalyzes the production of H_2O_2 by the oxidation of a substrate in the presence of water and oxygen. Examples of useful oxidases for this purpose are glucose oxidase or galactose oxidase. Appropriate substrates for these enzymes are respectively, D-glucose or galactose, or precursors of these compounds, for example oligomers or polymers that can break down into the smaller sugar units. The amount of oxidase used is preferably at least about 25 U/kg of the total composition, a unit being defined herein as the amount of enzyme required to catalyze the transformation of 1.0 micromole of substrate per minute at 25° C under optimal conditions. More preferably the amount of oxidase is at least about 75 U/kg, and most preferably about 150 U/kg. The substrate for the oxidase is preferably provided in an amount of at least about 0.5g/kg, preferably at least 1g/kg, and more preferably at least 2g/kg.

The other enzyme component of the antioxidant system is a peroxidase, i.e., an enzyme which catalyzes the oxidation of a readily oxidizable species by hydrogen peroxide within the medium. The peroxidase may be any peroxidase, for example, lactoperoxidase, myeloperoxidase, or horseradish peroxidase. The amount of peroxidase is preferably at least about 10 U/kg. It is preferred that the readily oxidizable species be provided as part of the antioxidant system. Examples of

useful oxidizable species are iodide, thiocyanate or bromide anions. Particularly preferred oxidizable species are one or both of iodide and thiocyanate anions. In addition to providing a relatively innocuous reservoir for potentially damaging oxygen, the oxidized species have a strong antimicrobial activity which prevents the growth of bacteria in the vehicle. The anions are generally incorporated into the system in the form of salts, such as potassium and sodium iodide salts, or mixtures thereof, and potassium, sodium, ammonium, ferric and cuprous salts of thiocyanate, and mixtures thereof. A preferred weight concentration of iodide ions is at least 5mg/kg and for thiocyanate, at least 2 mg/kg.

The components of the antioxidant can be added to the water-containing composition individually, or as part of a separate antioxidant mixture. A particularly useful mixture of components is available commercially under the name Myavert(Boots Company PLC). The system is disclosed, for example, in US Patent No. 5,607,681, the contents of which are incorporated herein by reference. As described therein, iodide and thiocyanate anions are present in the composition in a weight ratio within a range of from 0.1:1 to 50:1, and have a combined anion weight concentration of at least 5 mg/kg, preferably at least 10mg/kg; D-glucose in a weight concentration of at least 0.2 g/kg; glucose oxidase in an amount of at least 150 U/kg, and at least 10U/kg lactoperoxidase.

The combined components of the antioxidant system provide a very significant level of protection, in a water-containing system, to such readily oxygen-degraded biological actives such as retinoids. Even when encapsulated in the oil phase of a composition, these compounds exhibit rapid deterioration in the presence of water, resulting in considerable loss of biological activity. However, in the presence of the oxygen-

scavenging components of the invention as described above, there is a marked improvement of the retention of activity by the retinoid, thereby demonstrating the potency of the system.

5 In a preferred composition of the invention, the composition comprises a retinoid as the biologically active agent. By retinoid in the present context is meant Vitamin A (retinol) and any natural or synthetic analogues of Vitamin A which qualitatively exhibit the
10 same type of activity as Vitamin A on the skin. Example of retinoids, in addition to retinol include, but are not limited to, Vitamin A acid, Vitamin A aldehyde, and Vitamin A esters. The retinoids have a wide variety of dermatological applications, including the general
15 retardation of the effects of aging, both normal and photoaging. More specific application includes prevention and reduction of wrinkles, skin atrophy, hyperpigmentation and abnormal epidermal growths. Retinoids have also proven useful in the treatment of
20 acne. In one preferred embodiment of the invention, therefore, the antioxidants are used to stabilize a retinoid. In such compositions, the retinoid active agent is used in an amount of from about 0.001-5%, preferably about 0.001-2%, by weight of the total
25 composition, the amount and regimen for application of application depending on the contemplated use of the retinoid.

The oxygen-scavenging system is not limited, however, to use in stabilizing retinoids. It can be used
30 with any biological active which is susceptible to oxidative degradation, particularly in a water-containing system. Examples of other actives with which the system is useful are Vitamin E and derivatives, glutathione, and superoxide dismutase. Improvement in stability can also

be observed in water-soluble as well as oil-soluble actives.

The water-compositions of the invention can be in any form, particularly water-in-oil or oil-in-water emulsions. A particular advantage is obtained, however, when the composition is an oil-in-water emulsion, which, as explained above, presents even greater difficulties with oxidative degradation than a water-in-oil emulsion. Therefore, in a preferred embodiment, the composition is an oil-in-water emulsion containing the active agent in the oil phase.

The aqueous phase of the composition may be any cosmetically acceptable water based material, such as deionized water, or a floral water. The oil phase may be any cosmetically or pharmaceutically acceptable oil, such as an oil being defined for the present purpose as any pharmaceutically or cosmetically acceptable material which is substantially insoluble in water. The oils may be volatile or non-volatile, or a mixture of both. For example, suitable volatile oils include, but are not limited to, both cyclic and linear silicones, such as cyclomethicone, octamethylcyclotetrasiloxane, and decamethylcyclopentasiloxane; or straight or branched chain hydrocarbons having from 8-20 carbon atoms, such as decane, dodecane, tridecane, tetradecane, and C8-20 isoparaffins.

Non-volatile oils include, but are not limited to, vegetable oils, such as coconut oil, jojoba oil, corn oil, sunflower oil, palm oil, soybean oil; carboxylic acid esters such as isostearyl neopentanoate, cetyl octanoate, cetyl ricinoleate, octyl palmitate, dioctyl malate, coco-dicaprylate/caprate, decyl isostearate, myristyl myristate; animal oils such as lanolin and lanolin derivatives, tallow, mink oil or cholesterol; glyceryl esters, such as glyceryl stearate, glyceryl

dioleate, glyceryl distearate, glyceryl linoleate, glyceryl myristate; non-volatile silicones, such as dimethicone, dimethiconol, dimethicone copolyol, phenyl trimethicone, methicone, simethicone; and nonvolatile hydrocarbons, such as isoparaffins, squalane, or petrolatum.

The emulsions may also comprise other optional components, depending on the intended end use. These include, but are not limited to, water soluble colorants (such as FD&C Blue #1); oil soluble colorants (such as D&C Green #6); water soluble sunscreens (such as Eusolex 232); oil soluble sunscreens (such as Octyl Methoxycinnamate); particulate sunscreens (such as Zinc Oxide); antioxidants (such as BHT); chelating agents (such as Disodium EDTA); emulsion stabilizers (such as carbomer); preservatives (such as Methyl Paraben); fragrances (such as pinene); flavoring agents (such as sorbitol); humectants (such as glycerine); waterproofing agents (such as PVP/Eicosene Copolymer); water soluble film-formers (such as Hydroxypropyl methylcellulose); oil-soluble film formers (such as Hydrogenated C-9 Resin); cationic polymers (such as Polyquaternium 10); anionic polymers (such as xanthan gum); vitamins (such as Tocopherol); and the like.

The invention is further illustrated by the following non-limiting examples.

EXAMPLES

Example I

A composition according to the present invention is prepared as follows:

	<u>Material</u>	<u>Weight %</u>
	<u>Phase I</u>	
	Deionized water	51.00
5	Wheat Protein Stearate(Bioetica)	0.70
	Disodium EDTA	0.10
	Sucrose	2.00
	Caffeine Powder	0.20
10	<u>Phase II</u>	
	BHT	0.10
	Isostearyl Neopentanoate	3.00
	Squalane	3.00
	Cetearyl glucoside	5.00
15	Shea butter	5.90
	<u>Phase III</u>	
	Cyclomethicone	7.00
20	<u>Phase IV</u>	
	Carbomer	0.50
	Deionized water	9.50
25	<u>Phase V</u>	
	Glycerine	2.00
	Green tea extract	1.00
	1,3 Butylene Glycol	1.50
	Deionized water	1.50
30	<u>Phase VI</u>	
	Triethanolamine	0.05
	Deionized water	1.95

Phase VII

Magnesium ascorbyl phosphate	0.35
Deionized water	2.04

5 Phase VIII

Vitamin E	0.20
-----------	------

Phase IX

Myavert™ substrate (Boots)	0.72*
10 Myavert™ enzyme (Boots)	0.04**

Phase X

Green tea oil extract (LipoChemical)	0.15
15 Retinol (10% solution in soybean oil)	0.50

*Contains: 45-55% glucose(w/v), 0.42-0.52% sodium thiocyanate(w/v), and 0.66-0.80% potassium iodide(w/v)

20 **Contains: 1000-1800 Units/ml lactoperoxidase, 1500-2750 Units/ml glucose oxidase

To prepare the composition, Phase I components are combined in the main vessel and heated to 80°C. The Phase II ingredients are combined in an auxiliary vessel and heated to 82°C. Phase I and Phase II ingredients are then combined under homomixing and side-swipe agitation. Phase III ingredients are added to the main vessel at 65°C. Phase V and Phase IV ingredients are added sequentially to the main vessel at 50°C, and each mixed until uniform. Phase VI ingredients are added to the main vessel at 40°C and mixed until uniform. Phase VII ingredients are added at 38°C and mixed until uniform. Phase VIII ingredients are added at 35°C and mixed until uniform, and then Phases IX and X are added at 30°C, and mixed until uniform.

Example II

A retinol cream containing retinol and Myavert™ as described in example 1 is tested for stability, in comparison with an identical formulation without
5 Myavert™. The creams are tested for retention of retinol activity over a period of 8 weeks, at temperatures of 4°C, 25°C, 37°C and 45°C. At the end of 8 weeks, the control cream without the antioxidant system showed substantially full retention of activity at 4°C and 25°C, about 86%
10 retention of activity at 37°C, and only 74% activity at 45°C. In contrast, the antioxidant system-containing cream retained 100% activity at 4°C and 25°C, and 94% activity at 37°C and 45°C, showing a greater stability of the active when formulated in the presence of the glucose
15 oxidase and lactoperoxidase.

What we claim is:

1. A cosmetic or pharmaceutical water-containing composition comprising a biologically active agent and an enzyme-based oxygen-scavenging antioxidant system.
2. The composition of claim 1 in which the antioxidant system comprises effective amounts of an oxidase, a substrate for the oxidase, and a peroxidase.
3. The composition of claim 2 in which the antioxidant system also comprises at least one species oxidizable by hydrogen peroxide.
4. The composition of claim 1 which is an oil-in water emulsion.
5. The composition of claim 1 in which the antioxidant system comprises a glucose oxidase, glucose, and a lactoperoxidase.
6. The composition of claim 5 in which the antioxidant system comprises as an oxidizable species selected from the group consisting of iodide ions, thiocyanate ions, and a combination thereof.
7. The composition of claim 6 which comprises both iodide and thiocyanate ions.
8. The composition of claim 1 in which the active agent is a retinoid.
9. The composition of claim 2 in which the active agent is a retinoid.

10. The composition of claim 8 in which the agent is retinol.
11. The composition of claim 9 in which the agent is retinol.
12. A cosmetic or pharmaceutical water-containing composition comprising an effective amount of a retinoid and an antioxidant system comprising effective amounts of an oxidase, a substrate for the oxidase, and a peroxidase.
13. The composition of claim 12 in which the antioxidant system also comprises a species oxidizable by hydrogen peroxide.
14. The composition of claim 12 in which the antioxidant system comprises glucose oxidase, glucose and lactoperoxidase.
15. The composition of claim 13 which comprises an oxidizable species selected from the group consisting of iodide ions, thiocyanate ions, and a combination thereof.
16. The composition of claim 15 which the comprises both iodide and thiocyanate ions.
17. The composition of claim 12 in which the antioxidant system comprises glucose oxidase, glucose, lactoperoxidase, and iodide and/or thiocyanate anions.
18. The composition of claim 12 in which the retinoid is retinol.

19. The composition of claim 12 which is an oil-in-water emulsion.
20. A cosmetic or pharmaceutical water-containing composition comprising retinol, and an antioxidant system comprising comprises glucose oxidase, glucose, lactoperoxidase, and iodide and/or thiocyanate anions.
21. The composition of claim 20 which comprises iodide ions and thiocyanate ions in a weight:weight ratio of 0.1:1 to 50:1, and a combined anion weight concentration of at least about 5 mg/kg, D-glucose in a weight
5 concentration of at least 0.2 g/kg, and an effective amount of glucose oxidase and a lactoperoxidase.
22. The composition of claim 21 in which the amount of glucose oxidase is at least about 25 U/kg, and the amount of lactoperoxidase is at least about 10 U/kg.
23. The composition of claim 22 in which the amount of glucose oxidase is at least about 150 U/kg.
24. The composition of claim 23 which is an oil-in-water emulsion.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/19543

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A61K47/46 A61K31/20 A61K31/07 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	W0 91 11105 A (THE BOOTS CO. PLC) 8 August 1991 see the whole document ---	2-7
X	W0 95 26137 A (THE BOOTS CO., PLC) 5 October 1995 see the whole document ---	2-7
X	EP 0 450 800 A (UNILEVER PLC) 9 October 1991 see the whole document ---	2-7
X	EP 0 451 972 A (UNILEVER PLC) 16 October 1991 see the whole document ---	2-7
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance
 "E" earlier document but published on or after the international filing date
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
 "O" document referring to an oral disclosure, use, exhibition or other means
 "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
 "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
 "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
 "&" document member of the same patent family

Date of the actual completion of the international search

9 February 1999

Date of mailing of the international search report

15/02/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Glikman, J-F

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 98/19543

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 92 01466 A (UNIVERSITÉ LIBRE DE BRUXELLES) 6 February 1992 see the whole document ----	2-7
X	WO 97 26908 A (SEMPER AKTIEBOLAG) 31 July 1997 see the whole document ----	2-7
X	WO 94 05252 A (R. MONTGOMERY) 17 March 1994 see the whole document ----	2-7
X	US 5 453 284 A (M. PELLICO.) 26 September 1995 see the whole document -----	2-7

INTERNATIONAL SEARCH REPORT

international application No.

PCT/US 98/19543

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.: 1
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Claims Nos.: 1

Claim 1 as a whole is obscure. The term "enzyme-based oxygen scavenging antioxidant system" is not understood. It seems that a composition is described by the effect this composition is meant to produce. The rest of present claim 1 does not provide any further information on the subject-matter of said claim.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/19543

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9111105 A	08-08-1991	CA 2073768 A AT 110520 T AU 642467 B AU 7210191 A BG 96716 A DE 69103745 D EP 0514417 A ES 2059117 T IL 97112 A JP 5504567 T BG 61246 B DK 514417 T FI 923252 A IE 64353 B NO 300352 B US 5607681 A	31-07-1992 15-09-1994 21-10-1993 21-08-1991 30-06-1994 06-10-1994 25-11-1992 01-11-1994 07-10-1994 15-07-1993 30-04-1992 03-10-1994 15-07-1992 26-07-1995 20-05-1997 04-03-1997
WO 9526137 A	05-10-1995	AU 697046 B AU 2110395 A CA 2186531 A EP 0752815 A NZ 283139 A ZA 9502363 A	24-09-1998 17-10-1995 05-10-1995 15-01-1997 24-09-1998 26-09-1995
EP 450800 A	09-10-1991	AT 139704 T AU 642979 B AU 7299691 A CA 2038577 A DE 69120452 D DE 69120452 T ES 2088464 T IN 172886 A JP 4234821 A AT 138579 T AT 131069 T AT 157011 T AU 641736 B AU 7299591 A AU 642980 B AU 7299791 A AU 653170 B AU 8555291 A CA 2038578 A CA 2038579 A,C CA 2052713 A DE 69115104 D DE 69115104 T DE 69119817 D DE 69119817 T DE 69127334 D DE 69127334 T EP 0451972 A EP 0453097 A EP 0479600 A ES 2088463 T ES 2082132 T ES 2106057 T IN 172885 A	15-07-1996 04-11-1993 03-10-1991 22-09-1991 01-08-1996 31-10-1996 16-08-1996 25-12-1993 24-08-1992 15-06-1996 15-12-1995 15-09-1997 30-09-1993 03-10-1991 04-11-1993 03-10-1991 22-09-1994 09-04-1992 22-09-1991 22-09-1991 06-04-1992 18-01-1996 15-05-1996 04-07-1996 31-10-1996 25-09-1997 15-01-1998 16-10-1991 23-10-1991 08-04-1992 16-08-1996 16-03-1996 01-11-1997 25-12-1993

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/19543

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 450800 A		IN 172887 A	25-12-1993
		JP 5262669 A	12-10-1993
		JP 5084073 A	06-04-1993
		JP 4264036 A	18-09-1992
		US 5490988 A	13-02-1996
		ZA 9107957 A	05-04-1993
<hr/>			
EP 451972 A	16-10-1991	AT 138579 T	15-06-1996
		AU 642980 B	04-11-1993
		AU 7299791 A	03-10-1991
		CA 2038579 A,C	22-09-1991
		DE 69119817 D	04-07-1996
		DE 69119817 T	31-10-1996
		ES 2088463 T	16-08-1996
		IN 172887 A	25-12-1993
		JP 5084073 A	06-04-1993
		AT 139704 T	15-07-1996
		AT 131069 T	15-12-1995
		AT 157011 T	15-09-1997
		AU 641736 B	30-09-1993
		AU 7299591 A	03-10-1991
		AU 642979 B	04-11-1993
		AU 7299691 A	03-10-1991
		AU 653170 B	22-09-1994
		AU 8555291 A	09-04-1992
		CA 2038577 A	22-09-1991
		CA 2038578 A	22-09-1991
		CA 2052713 A	06-04-1992
		DE 69115104 D	18-01-1996
		DE 69115104 T	15-05-1996
		DE 69120452 D	01-08-1996
		DE 69120452 T	31-10-1996
		DE 69127334 D	25-09-1997
		DE 69127334 T	15-01-1998
		EP 0450800 A	09-10-1991
		EP 0453097 A	23-10-1991
		EP 0479600 A	08-04-1992
		ES 2088464 T	16-08-1996
		ES 2082132 T	16-03-1996
		ES 2106057 T	01-11-1997
		IN 172885 A	25-12-1993
		IN 172886 A	25-12-1993
		JP 5262669 A	12-10-1993
		JP 4234821 A	24-08-1992
		JP 4264036 A	18-09-1992
		US 5490988 A	13-02-1996
		ZA 9107957 A	05-04-1993
<hr/>			
WO 9201466 A	06-02-1992	AT 123950 T	15-07-1995
		DE 69110678 D	27-07-1995
		DE 69110678 T	14-03-1996
		EP 0540547 A	12-05-1993
		JP 6501453 T	17-02-1994
		US 5503853 A	02-04-1996
<hr/>			
WO 9726908 A	31-07-1997	SE 506529 C	22-12-1997
		AU 1562797 A	20-08-1997
		CA 2243708 A	31-07-1997

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/19543

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
W0 9726908 A		SE 9600233 A	24-07-1997
W0 9405252 A	17-03-1994	US 5310541 A	10-05-1994
		AU 4839893 A	29-03-1994
		CA 2143111 A	17-03-1994
		EP 0658096 A	21-06-1995
US 5453284 A	26-09-1995	US 5336494 A	09-08-1994